AES Standards

Quality Products

Induction Cookers

Experience the excitement of intuitive cooking. Experience the excitement of intuitive cooking. Nutrition is essential to good health. new induction cooker shortens cooking time by 40%, and so better seals nutrients into the food. With advanced panel design.

For more detail information and models, please visit our website www.aes-standards.comemail: info@aes-standards.com

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Induction Cooker

TENDOROSO®4730

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

As an alternative to cooking with gas, induction hobs are a great way of shortening cooking times, accurately controlling temperatures and minimising energy consumption.

Induction hobs feature a glass surface. This hard-wearing glass offers excellent heat resistance as well as being easy to maintain: any splashes or spillages will not burn onto the hob top and can be easily wiped away

Supplied items :

- Induction Hob
- User manual

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	2000W
Setting Menu	7 seetings
Temperature Setting	0° C to 240° C
Timer	up to 180 min
ON / OFF Button	Glows during operation
Child Lock Function	Glows during operation
Plus / Minus Button	Yes
Cooking / Heating Button	Glows during operation
Temperature Button	No
Noise Level	< 70 dB
Housing Material	Stainless steel + Plastic

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Induction Cooker

TENDOROSO®4530

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

As an alternative to cooking with gas, induction hobs are a great way of shortening cooking times, accurately controlling temperatures and minimising energy consumption.

Induction hobs feature a glass surface. This hard-wearing glass offers excellent heat resistance as well as being easy to maintain: any splashes or spillages will not burn onto the hob top and can be easily wiped away

Supplied items :

- Induction Hob
- User manual

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	2000W
Setting Menu	5 seetings
Temperature Setting	0° C to 240° C
Timer	up to 180 min
ON / OFF Button	Power, Glows during operation
Child Lock Function	Red, Glows during operation
Plus / Minus Button	Yes
Cooking / Heating Button	Red, Glows during operation
Temperature Button	Red, Glows during operation
Noise Level	< 70 dB
Housing Material	Stainless steel + Plastic

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Induction Cooker

TENDOROSO®4320

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

As an alternative to cooking with gas, induction hobs are a great way of shortening cooking times, accurately controlling temperatures and minimising energy consumption.



Energy efficiency is maximised as induction hobs only heat up the base of the pan and not the rest of the surface area, which stays cool.

Induction hobs feature a glass surface. This hard-wearing glass offers excellent heat resistance as well as being easy to maintain: any splashes or spillages will not burn onto the hob top and can be easily wiped away

Supplied items :

- Induction Hob
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	2000W
Temperature Setting	0° C to 240° C
Timer	up to 180 min
ON / OFF Button	Power, Glows during operation
Child Lock Function	Red, Glows during operation
Plus / Minus Button	Yes
Cooking / Heating Button	Red, Glows during operation
Temperature Button	Red, Glows during operation
Noise Level	< 70 dB
Housing Material	Stainless steel + Plastic

AES Standards
Quality Products

© 2014 Applied Engineering Standards Ltd.

Induction Cooker

TENDOROSO®4250

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

As an alternative to cooking with gas, induction hobs are a great way of shortening cooking times, accurately controlling temperatures and minimising energy consumption.

Induction hobs feature a glass surface. This hard-wearing glass offers excellent heat resistance as well as being easy to maintain: any splashes or spillages will not burn onto the hob top and can be easily wiped away

Supplied items :

- Induction Hob
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	2000W
Setting Menu	Programmable Functions
Temperature Setting	0° C to 240° C
Timer	up to 180 min
ON / OFF Button	Glows during operation
Child Lock Function	No
Plus / Minus Button	Yes, Knob
Cooking / Heating Button	No
Temperature Button	No
Noise Level	< 70 dB
Housing Material	Stainless steel + Plastic

AES Standards
Quality Products

AES Standards

Quality Products

Electric Hobs

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate. The Hob is just what you need for compact kitchen spaces or mobile use.

For more detail information and models, please visit our website www. aes-standards.comemail: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Electric Hob

TENDOROSO®2030

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate.

The cooking plate has a separate neon indicator and the base of the hob is fitted with non-slip feet. The durable stainless steel exterior has an easy-clean finish and protects against accidental spills or overflows.

The Hob is just what you need for compact kitchen spaces or mobile use.

Supplied items :

- Electric Hob
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	1000W
Temperature Setting	up to 220° C
Timer	No
On / Off Button	No
Power Lamp	Red, Glows during operation
Housing Material	Stainless steel

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Electric Hob

TENDOROSO®2040

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate.

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Supplied items :

- Electric Hob
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

The cooking plate has a separate neon indicator and the base of the hob is fitted with non-slip feet. The durable stainless steel exterior has an easy-clean finish and protects against accidental spills or overflows.

The Hob is just what you need for compact kitchen spaces or mobile use.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	1000W
Temperature Setting	up to 220° C
Timer	No
On / Off Button	No
Power Lamp	Red, Glows during operation
Housing Material	Stainless steel

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Electric Hob

TENDOROSO®2050

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate.

Supplied items :

- Electric Hob
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

The cooking plate has a separate neon indicator and the base of the hob is fitted with non-slip feet. The durable stainless steel exterior has an easy-clean finish and protects against accidental spills or overflows.

The Hob is just what you need for compact kitchen spaces or mobile use.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	1000W
Temperature Setting	up to 220° C
Timer	No
On / Off Button	No
Power Lamp	Red, Glows during operation
Housing Material	Stainless steel

AES Standards
Quality Products

© 2014 Applied Engineering Standards Ltd.

Double Electric Hob

TENDOROSO®2230

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate.

Supplied items :

- Electric Hob
- User manual

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	2 x 1000W
Temperature Setting	up to 220° C
Timer	No
On / Off Button	No
Power Lamp	Red, Glows during operation
Housing Material	Stainless steel

The cooking plate has a separate neon indicator and the base of the hob is fitted with non-slip feet. The durable stainless steel exterior has an easy-clean finish and protects against accidental spills or overflows.

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Triple Electric Hob

TENDOROSO®2440

The Electric Hob is a convenient portable yet powerful electric hob. This stainless steel hob is compact and lightweight, and has variable independent heat control and power on the cooking plate.

Supplied items :

- Electric Hob
- User manual

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	3 x 1000W
Temperature Setting	up to 220° C
Timer	No
On / Off Button	No
Power Lamp	Red, Glows during operation
Housing Material	Stainless steel

The cooking plate has a separate neon indicator and the base of the hob is fitted with non-slip feet. The durable stainless steel exterior has an easy-clean finish and protects against accidental spills or overflows.

AES Standards
Quality Products

AES Standards

Quality Products

Electric Slow Cookers

There's a magic cauldron for preparing food — one you're likely not using — that combines convenience, a near-guarantee against overcooking and the ability to transform inexpensive, tough cuts of meat into tender, flavorful dishes. you'll eat better, save money and time.

For more detail information and models, please visit our website www. aes-standards.comemail: info@aes-standards.com

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Slow Cooker

TENDOROSO®7520

A slow cooker, as the name suggests, takes low heat, moisture and a long cooking time to create delicious culinary alchemy.

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Combine a bunch of ingredients before work and come home five, six, seven or more hours later to a sumptuous sultry stew, perfect pulled pork, or a moist, meat-falling-off-the bone capon. With a slow cooker, you’ll eat better, save money and time, and add endless possibilities to your kitchen repertoire.

Supplied items :

- Electric Slow Cooker
- Removable Pot
- Glass Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	200W
Slow Cooking Selection	High, Low, Auto / Keep Warm
Capacity	4.5L
Timer	No
On / Off Button	Yes
Power Lamp	No

AES Standards
Quality Products

© 2014 Applied Engineering Standards Ltd.

Slow Cooker

TENDOROSO®7420

A slow cooker, as the name suggests, takes low heat, moisture and a long cooking time to create delicious culinary alchemy.

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Combine a bunch of ingredients before work and come home five, six, seven or more hours later to a sumptuous sultry stew, perfect pulled pork, or a moist, meat-falling-off-the bone capon. With a slow cooker, you’ll eat better, save money and time, and add endless possibilities to your kitchen repertoire.

Supplied items :

- Electric Slow Cooker
- Removable Pot
- Glass Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	200W
Slow Cooking Selection	High, Low, Auto
Capacity	4.5L
Timer	No
On / Off Button	Yes
Power Lamp	No

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Slow Cooker

TENDOROSO®7310

A slow cooker, as the name suggests, takes low heat, moisture and a long cooking time to create delicious culinary alchemy.

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Combine a bunch of ingredients before work and come home five, six, seven or more hours later to a sumptuous sultry stew, perfect pulled pork, or a moist, meat-falling-off-the bone capon. With a slow cooker, you’ll eat better, save money and time, and add endless possibilities to your kitchen repertoire.

Supplied items :

- Electric Slow Cooker
- Removable Pot
- Glass Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Maximum power	200W
Slow Cooking Selection	High, Low, Auto
Capacity	3.5L
Timer	No
On / Off Button	Yes
Power Lamp	Red, Glows during operation

AES Standards
Quality Products

AES Standards

Quality Products

Food Steamers

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods. All Parts Removable and Dishwasher Safe

For more detail information and models, please visit our website www. aes-standards.comemail: info@aes-standards.com

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®6640

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 90 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

Supplied items :

- Food Steamer Set
- 3 Steam Basktes
- 1 Rice Bowl
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Digital Controller
Timer	Yes, with Max. 90min
Keep Warm Function	Yes
Quick Start Function	Yes - Set to 45 min
Delay Time Function	Yes - up to 24 Hrs
Control Lamp	Power, Glows during operation
Water Tank Capacity	1.5L
Basket Capacity	3.5L
Rice Bowl Capacity	1.4L
ON / OFF Button	Yes
Plus / Minus Button	Yes
Program Button	Yes
Housing Material	Stainless Steel

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®6530

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 75 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Supplied items :

- Food Steamer Set
- 3 Steam Basktes
- 1 Rice Bowl
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Mechanical Controller
Timer	Yes, with Max. 75min
Keep Warm Function	No
Quick Start Function	No
Delay Time Function	No
Control Lamp	Power, Glows during operation
Water Tank Capacity	1.2L
Basket Capacity	3.5L
Rice Bowl Capacity	1.0L
ON / OFF Button	No
Plus / Minus Button	No
Program Button	No
Housing Material	Plastic

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®6420

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 60 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

Supplied items :

- Food Steamer Set
- 3 Steam Basktes
- 1 Rice Bowl
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Mechanical Controller
Timer	Yes, with Max. 60min
Keep Warm Function	No
Quick Start Function	No
Delay Time Function	No
Control Lamp	No
Water Tank Capacity	1.2L
Basket Capacity	2.5L
Rice Bowl Capacity	1.0L
ON / OFF Button	No
Plus / Minus Button	No
Program Button	No
Housing Material	Plastic

AES Standards
Quality Products

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®6350

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 60 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

Supplied items :

- Food Steamer Set
- 3 Steam Basktes
- 1 Rice Bowl
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Mechanical Controller
Timer	Yes, with Max. 60min
Keep Warm Function	No
Quick Start Function	No
Delay Time Function	No
Control Lamp	No
Water Tank Capacity	1.2L
Basket Capacity	2.5L
Rice Bowl Capacity	1.5L
ON / OFF Button	No
Plus / Minus Button	No
Program Button	No
Housing Material	Plastic

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®5640

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 60 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

Supplied items :

- Food Steamer Set
- 2 Steam Basktes
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Digital Controller
Timer	Yes, with Max. 60min
Keep Warm Function	Yes
Quick Start Function	Yes - Set to 45 min
Delay Time Function	Yes - up to 24 Hrs
Control Lamp	Power, Glows during operation
Water Tank Capacity	1.5L
Basket Capacity	3.5L
Rice Bowl Capacity	n/a
ON / OFF Button	Yes
Plus / Minus Button	Yes
Program Button	Yes
Housing Material	Stainless Steel

AES Standards
Quality Products

Home Appliances
email: info@aes-standards.com

© 2014 Applied Engineering Standards Ltd.

Food Steamer

TENDOROSO®5420

FOB US$	
Warranty	
20’ Container	
40’ Container	
Customer	
Country	
Quotation Date	

Improve your health by steaming your food quickly and easily with this Food Steamer. Steaming helps retain valuable nutrients that are often cooked out by other cooking methods.

It cooks Meat Fish, Vegetables, Fruit and Eggs

It features a timer that goes from 0 to 75 minutes and an automatic shut-off. The removable trays and lids are dishwasher safe.

You can steam using one or two trays depending on how much space you need.

Supplied items :

- Food Steamer Set
- 2 Steam Basktes
- 1 Rice Bowl
- 1 Condesate Collector
- 1 Turbo Ring
- Cover
- User manual

This device has been tested and approved for compliance with the basic and other relevant requirements of the European EC conformity and standards IEC60335-1 aand IEC60335-2.

Mains voltage	110-120VAC 60Hz 220-240VAC 50Hz
Nominal power	750W
Control Settings	Mechanical Controller
Timer	Yes, with Max. 75min
Keep Warm Function	No
Quick Start Function	No
Delay Time Function	No
Control Lamp	Power, Glows during operation
Water Tank Capacity	1.2L
Basket Capacity	3.5L
Rice Bowl Capacity	1.2L
ON / OFF Button	No
Plus / Minus Button	No
Program Button	No
Housing Material	Plastic

AES Standards
Quality Products